



Fișa produsului -
**Tablă trapezoidală
T18**



THE POWER OF ROOFS




Parametrii tehnici

Parametrii tehnici [în mm]

Lățimea efectivă	1075
Lățimea totală	~1125
Înălțimea profilului	17
Grosimea tablei	0,5-1,0
Lungimea maximă a foi	12 000

Greutatea tablelor (kg/m²)

Grosime [mm]	Greutate [kg]
0,50	4,56
0,60	5,48
0,63	5,76



Acest produs poate fi găsit în biblioteca noastră BP2 BIM pentru arhitecți și proiectanți
<https://bp2.eu/ro/arhitecti/>



L



T18 pozitiv, numărul de panourilor: 1, $R_e=250\text{MPa}$, $R_m=330\text{MPa}$																				
Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	16,15	7,19	4,05	2,59	1,80	1,32	1,01	0,80	0,65	0,54	0,45	0,38	0,33	0,29	0,25	0,22	0,20	0,18	0,16
	SGU - L/150	16,15	6,19	2,62	1,34	0,78	0,49	0,33	0,23	0,17	0,13	0,10	0,08	0,06	0,05	0,04	0,03	0,03	0,02	0,02
	SGU - L/250	15,57	4,64	1,96	1,01	0,58	0,37	0,25	0,17	0,13	0,10	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,02
	SGU - L/300	10,38	3,09	1,31	0,67	0,39	0,24	0,16	0,12	0,08	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,01	0,01	0,01
0,60	SGN	19,22	8,56	4,82	3,08	2,14	1,57	1,21	0,95	0,77	0,64	0,54	0,46	0,39	0,34	0,30	0,27	0,24	0,21	0,19
	SGU - L/150	19,22	7,32	3,10	1,59	0,92	0,58	0,39	0,27	0,20	0,15	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,03
	SGU - L/250	18,43	5,49	2,32	1,19	0,69	0,43	0,29	0,20	0,15	0,11	0,09	0,07	0,05	0,04	0,04	0,03	0,03	0,02	0,02
	SGU - L/300	12,29	3,66	1,55	0,79	0,46	0,29	0,19	0,14	0,10	0,08	0,06	0,05	0,04	0,03	0,02	0,02	0,02	0,01	0,01
0,63	SGN	20,13	8,96	5,04	3,23	2,24	1,65	1,26	1,00	0,81	0,67	0,56	0,48	0,41	0,36	0,32	0,28	0,25	0,22	0,20
	SGU - L/150	20,13	7,66	3,24	1,66	0,96	0,61	0,41	0,29	0,21	0,16	0,12	0,10	0,08	0,06	0,05	0,04	0,04	0,03	0,03
	SGU - L/250	19,28	5,74	2,43	1,24	0,72	0,45	0,30	0,21	0,16	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02
	SGU - L/300	12,85	3,83	1,62	0,83	0,48	0,30	0,20	0,14	0,10	0,08	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,02	0,01
T18 negativ, numărul de panourilor: 1, $R_e=250\text{MPa}$, $R_m=330\text{MPa}$																				
Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	14,47	6,44	3,62	2,32	1,61	1,18	0,91	0,72	0,58	0,48	0,40	0,34	0,30	0,26	0,23	0,20	0,18	0,16	0,15
	SGU - L/150	14,47	4,52	1,91	0,98	0,57	0,36	0,24	0,17	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,02
	SGU - L/250	11,41	3,39	1,43	0,73	0,43	0,27	0,18	0,13	0,09	0,07	0,05	0,04	0,03	0,03	0,02	0,02	0,02	0,01	0,01
	SGU - L/300	7,60	2,26	0,96	0,49	0,28	0,18	0,12	0,08	0,06	0,05	0,04	0,03	0,02	0,02	0,02	0,01	0,01	0,01	0,01
0,60	SGN	17,69	7,87	4,43	2,84	1,97	1,45	1,11	0,88	0,71	0,59	0,49	0,42	0,36	0,32	0,28	0,25	0,22	0,20	0,18
	SGU - L/150	17,69	5,75	2,43	1,25	0,72	0,45	0,30	0,21	0,16	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02
	SGU - L/250	14,51	4,32	1,82	0,94	0,54	0,34	0,23	0,16	0,12	0,09	0,07	0,05	0,04	0,04	0,03	0,02	0,02	0,02	0,02
	SGU - L/300	9,67	2,88	1,22	0,62	0,36	0,23	0,15	0,11	0,08	0,06	0,05	0,04	0,03	0,02	0,02	0,02	0,01	0,01	0,01
0,63	SGN	18,66	8,31	4,67	2,99	2,08	1,53	1,17	0,92	0,75	0,62	0,52	0,44	0,38	0,33	0,29	0,26	0,23	0,21	0,19
	SGU - L/150	18,66	6,13	2,59	1,33	0,77	0,48	0,33	0,23	0,17	0,13	0,10	0,08	0,06	0,05	0,04	0,03	0,03	0,02	0,02
	SGU - L/250	15,46	4,60	1,94	1,00	0,58	0,36	0,24	0,17	0,13	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,02
	SGU - L/300	10,31	3,07	1,30	0,66	0,39	0,24	0,16	0,11	0,08	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,01	0,01	0,01

L

T18 pozitiv, numărul de panourilor: 1, $R_e=280\text{MPa}$, $R_m=360\text{MPa}$																				
Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	18,09	8,05	4,53	2,90	2,02	1,48	1,13	0,90	0,73	0,60	0,50	0,43	0,37	0,32	0,28	0,25	0,22	0,20	0,18
	SGU - L/150	18,09	6,19	2,62	1,34	0,78	0,49	0,33	0,23	0,17	0,13	0,10	0,08	0,06	0,05	0,04	0,03	0,03	0,02	0,02
	SGU - L/250	15,57	4,64	1,96	1,01	0,58	0,37	0,25	0,17	0,13	0,10	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,02
	SGU - L/300	10,38	3,09	1,31	0,67	0,39	0,24	0,16	0,12	0,08	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,01	0,01	0,01
0,60	SGN	21,52	9,58	5,39	3,45	2,40	1,76	1,35	1,07	0,86	0,71	0,60	0,51	0,44	0,38	0,34	0,30	0,27	0,24	0,22
	SGU - L/150	21,52	7,32	3,10	1,59	0,92	0,58	0,39	0,27	0,20	0,15	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,03
	SGU - L/250	18,43	5,49	2,32	1,19	0,69	0,43	0,29	0,20	0,15	0,11	0,09	0,07	0,05	0,04	0,04	0,03	0,03	0,02	0,02
	SGU - L/300	12,29	3,66	1,55	0,79	0,46	0,29	0,19	0,14	0,10	0,08	0,06	0,05	0,04	0,03	0,02	0,02	0,02	0,01	0,01
0,63	SGN	22,54	10,04	5,65	3,62	2,51	1,85	1,41	1,12	0,91	0,75	0,63	0,54	0,46	0,40	0,35	0,31	0,28	0,25	0,23
	SGU - L/150	22,54	7,66	3,24	1,66	0,96	0,61	0,41	0,29	0,21	0,16	0,12	0,10	0,08	0,06	0,05	0,04	0,04	0,03	0,03
	SGU - L/250	19,28	5,74	2,43	1,24	0,72	0,45	0,30	0,21	0,16	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02
	SGU - L/300	12,85	3,83	1,62	0,83	0,48	0,30	0,20	0,14	0,10	0,08	0,06	0,05	0,04	0,03	0,03	0,02	0,02	0,02	0,01
T18 negativ, numărul de panourilor: 1, $R_e=280\text{MPa}$, $R_m=360\text{MPa}$																				
Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	16,06	7,15	4,02	2,58	1,79	1,31	1,01	0,80	0,64	0,53	0,45	0,38	0,33	0,29	0,25	0,22	0,20	0,18	0,16
	SGU - L/150	14,88	4,42	1,87	0,96	0,55	0,35	0,23	0,16	0,12	0,09	0,07	0,05	0,04	0,04	0,03	0,02	0,02	0,02	0,02
	SGU - L/250	11,16	3,32	1,40	0,72	0,42	0,26	0,18	0,12	0,09	0,07	0,05	0,04	0,03	0,03	0,02	0,02	0,02	0,01	0,01
	SGU - L/300	7,44	2,21	0,93	0,48	0,28	0,17	0,12	0,08	0,06	0,05	0,04	0,03	0,02	0,02	0,02	0,01	0,01	0,01	0,01
0,60	SGN	19,65	8,75	4,92	3,15	2,19	1,61	1,23	0,97	0,79	0,65	0,55	0,47	0,40	0,35	0,31	0,27	0,24	0,22	0,20
	SGU - L/150	18,92	5,63	2,38	1,22	0,71	0,44	0,30	0,21	0,15	0,11	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02
	SGU - L/250	14,19	4,22	1,78	0,91	0,53	0,33	0,22	0,16	0,11	0,09	0,07	0,05	0,04	0,03	0,03	0,02	0,02	0,02	0,01
	SGU - L/300	9,46	2,81	1,19	0,61	0,35	0,22	0,15	0,11	0,08	0,06	0,04	0,04	0,03	0,02	0,02	0,02	0,01	0,01	0,01
0,63	SGN	20,73	9,23	5,19	3,33	2,31	1,70	1,30	1,03	0,83	0,69	0,58	0,49	0,42	0,37	0,33	0,29	0,26	0,23	0,21
	SGU - L/150	20,17	6,00	2,53	1,30	0,75	0,47	0,32	0,22	0,16	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02
	SGU - L/250	15,13	4,50	1,90	0,98	0,56	0,36	0,24	0,17	0,12	0,09	0,07	0,06	0,04	0,04	0,03	0,03	0,02	0,02	0,02
	SGU - L/300	10,08	3,00	1,27	0,65	0,38	0,24	0,16	0,11	0,08	0,06	0,05	0,04	0,03	0,02	0,02	0,02	0,01	0,01	0,01

**T18 pozitiv, numărul de panourilor: 2, $R_e=250\text{MPa}$, $R_m=330\text{MPa}$**

Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	12,23	6,11	3,50	2,26	1,58	1,17	0,90	0,71	0,58	0,48	0,40	0,34	0,30	0,26	0,23	0,20	0,18	0,16	0,15
	SGU - L/150	12,23	6,11	3,50	2,26	1,58	1,17	0,79	0,55	0,40	0,30	0,23	0,18	0,15	0,12	0,10	0,08	0,07	0,06	0,05
	SGU - L/250	12,23	6,11	3,50	2,26	1,39	0,88	0,59	0,41	0,30	0,23	0,17	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	12,23	6,11	3,13	1,61	0,93	0,59	0,39	0,28	0,20	0,15	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,03
0,60	SGN	15,19	7,44	4,26	2,76	1,93	1,42	1,10	0,87	0,71	0,59	0,49	0,42	0,36	0,31	0,28	0,25	0,22	0,20	0,18
	SGU - L/150	15,19	7,44	4,26	2,76	1,93	1,39	0,93	0,65	0,48	0,36	0,28	0,22	0,17	0,14	0,12	0,10	0,08	0,07	0,06
	SGU - L/250	15,19	7,44	4,26	2,76	1,65	1,04	0,70	0,49	0,36	0,27	0,21	0,16	0,13	0,11	0,09	0,07	0,06	0,05	0,05
	SGU - L/300	15,19	7,44	3,70	1,90	1,10	0,69	0,46	0,33	0,24	0,18	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04	0,03
0,63	SGN	16,09	7,83	4,49	2,90	2,03	1,50	1,16	0,92	0,75	0,62	0,52	0,44	0,38	0,33	0,29	0,26	0,23	0,21	0,19
	SGU - L/150	16,09	7,83	4,49	2,90	2,03	1,45	0,97	0,68	0,50	0,37	0,29	0,23	0,18	0,15	0,12	0,10	0,09	0,07	0,06
	SGU - L/250	16,09	7,83	4,49	2,90	1,72	1,09	0,73	0,51	0,37	0,28	0,22	0,17	0,14	0,11	0,09	0,08	0,06	0,05	0,05
	SGU - L/300	16,09	7,83	3,87	1,99	1,15	0,72	0,49	0,34	0,25	0,19	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04	0,03

T18 negativ, numărul de panourilor: 2, $R_e=250\text{MPa}$, $R_m=330\text{MPa}$

Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	13,24	6,80	3,90	2,51	1,76	1,30	1,00	0,79	0,64	0,53	0,45	0,38	0,33	0,29	0,25	0,22	0,20	0,18	0,16
	SGU - L/150	13,24	6,80	3,90	2,34	1,36	0,86	0,57	0,40	0,29	0,22	0,17	0,13	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/250	13,24	6,80	3,43	1,76	1,02	0,64	0,43	0,30	0,22	0,17	0,13	0,10	0,08	0,07	0,05	0,05	0,04	0,03	0,03
	SGU - L/300	13,24	5,41	2,29	1,17	0,68	0,43	0,29	0,20	0,15	0,11	0,09	0,07	0,05	0,04	0,04	0,03	0,03	0,02	0,02
0,60	SGN	16,22	8,10	4,63	2,99	2,09	1,54	1,19	0,94	0,76	0,63	0,53	0,45	0,39	0,34	0,30	0,27	0,24	0,21	0,19
	SGU - L/150	16,22	8,10	4,63	2,98	1,73	1,09	0,73	0,51	0,37	0,28	0,22	0,17	0,14	0,11	0,09	0,08	0,06	0,05	0,05
	SGU - L/250	16,22	8,10	4,36	2,24	1,30	0,82	0,55	0,38	0,28	0,21	0,16	0,13	0,10	0,08	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	16,22	6,88	2,91	1,49	0,86	0,54	0,37	0,26	0,19	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02
0,63	SGN	17,11	8,48	4,85	3,13	2,19	1,61	1,24	0,98	0,80	0,66	0,56	0,48	0,41	0,36	0,32	0,28	0,25	0,22	0,20
	SGU - L/150	17,11	8,48	4,85	3,13	1,84	1,16	0,78	0,55	0,40	0,30	0,23	0,18	0,15	0,12	0,10	0,08	0,07	0,06	0,05
	SGU - L/250	17,11	8,48	4,65	2,38	1,38	0,87	0,58	0,41	0,30	0,22	0,17	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	17,11	7,34	3,10	1,59	0,92	0,58	0,39	0,27	0,20	0,15	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,03



T18 pozitiv, numărul de panourilor: 2, $R_e=280\text{MPa}$, $R_m=360\text{MPa}$																				
Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	13,44	6,80	3,89	2,51	1,76	1,30	1,00	0,79	0,64	0,53	0,45	0,38	0,33	0,29	0,25	0,22	0,20	0,18	0,16
	SGU - L/150	13,44	6,80	3,89	2,51	1,76	1,17	0,79	0,55	0,40	0,30	0,23	0,18	0,15	0,12	0,10	0,08	0,07	0,06	0,05
	SGU - L/250	13,44	6,80	3,89	2,41	1,39	0,88	0,59	0,41	0,30	0,23	0,17	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	13,44	6,80	3,13	1,61	0,93	0,59	0,39	0,28	0,20	0,15	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,03
0,60	SGN	16,71	8,27	4,74	3,06	2,14	1,58	1,22	0,97	0,79	0,65	0,55	0,47	0,40	0,35	0,31	0,27	0,24	0,22	0,20
	SGU - L/150	16,71	8,27	4,74	3,06	2,14	1,39	0,93	0,65	0,48	0,36	0,28	0,22	0,17	0,14	0,12	0,10	0,08	0,07	0,06
	SGU - L/250	16,71	8,27	4,74	2,85	1,65	1,04	0,70	0,49	0,36	0,27	0,21	0,16	0,13	0,11	0,09	0,07	0,06	0,05	0,05
	SGU - L/300	16,71	8,27	3,70	1,90	1,10	0,69	0,46	0,33	0,24	0,18	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04	0,03
0,63	SGN	17,71	8,71	4,99	3,23	2,26	1,67	1,28	1,02	0,83	0,69	0,58	0,49	0,42	0,37	0,32	0,29	0,26	0,23	0,21
	SGU - L/150	17,71	8,71	4,99	3,23	2,26	1,45	0,97	0,68	0,50	0,37	0,29	0,23	0,18	0,15	0,12	0,10	0,09	0,07	0,06
	SGU - L/250	17,71	8,71	4,99	2,98	1,72	1,09	0,73	0,51	0,37	0,28	0,22	0,17	0,14	0,11	0,09	0,08	0,06	0,05	0,05
	SGU - L/300	17,71	8,71	3,87	1,99	1,15	0,72	0,49	0,34	0,25	0,19	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04	0,03
T18 negativ, numărul de panourilor: 2, $R_e=280\text{MPa}$, $R_m=360\text{MPa}$																				
Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	14,61	7,52	4,36	2,82	1,97	1,45	1,12	0,88	0,72	0,60	0,50	0,43	0,37	0,32	0,28	0,25	0,22	0,20	0,18
	SGU - L/150	14,61	7,52	4,36	2,29	1,33	0,84	0,56	0,39	0,29	0,22	0,17	0,13	0,10	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/250	14,61	7,52	3,35	1,72	1,00	0,63	0,42	0,30	0,22	0,16	0,12	0,10	0,08	0,06	0,05	0,04	0,04	0,03	0,03
	SGU - L/300	14,61	5,29	2,24	1,15	0,66	0,42	0,28	0,20	0,14	0,11	0,08	0,07	0,05	0,04	0,04	0,03	0,03	0,02	0,02
0,60	SGN	17,92	9,07	5,19	3,35	2,34	1,73	1,33	1,05	0,85	0,71	0,60	0,51	0,44	0,38	0,34	0,30	0,27	0,24	0,22
	SGU - L/150	17,92	9,07	5,19	2,92	1,69	1,06	0,71	0,50	0,37	0,27	0,21	0,17	0,13	0,11	0,09	0,07	0,06	0,05	0,05
	SGU - L/250	17,92	9,07	4,27	2,19	1,27	0,80	0,54	0,38	0,27	0,21	0,16	0,13	0,10	0,08	0,07	0,06	0,05	0,04	0,03
	SGU - L/300	17,92	6,73	2,85	1,46	0,85	0,53	0,36	0,25	0,18	0,14	0,11	0,08	0,07	0,05	0,05	0,04	0,03	0,03	0,02
0,63	SGN	18,91	9,50	5,43	3,51	2,45	1,81	1,39	1,10	0,89	0,74	0,62	0,53	0,46	0,40	0,35	0,31	0,28	0,25	0,23
	SGU - L/150	18,91	9,50	5,43	3,11	1,80	1,14	0,76	0,53	0,39	0,29	0,23	0,18	0,14	0,12	0,10	0,08	0,07	0,06	0,05
	SGU - L/250	18,91	9,50	4,55	2,33	1,35	0,85	0,57	0,40	0,29	0,22	0,17	0,13	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	18,91	7,18	3,03	1,55	0,90	0,57	0,38	0,27	0,20	0,15	0,11	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02

**T18 pozitiv, numărul de panourilor: 3, $R_e=250\text{MPa}$, $R_m=330\text{MPa}$**

Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	15,07	7,66	4,39	2,83	1,98	1,47	1,13	0,90	0,73	0,60	0,50	0,43	0,37	0,32	0,28	0,25	0,22	0,20	0,18
	SGU - L/150	15,07	7,66	4,39	2,53	1,46	0,92	0,62	0,43	0,32	0,24	0,18	0,14	0,12	0,09	0,08	0,06	0,05	0,05	0,04
	SGU - L/250	15,07	7,66	3,70	1,90	1,10	0,69	0,46	0,33	0,24	0,18	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04	0,03
	SGU - L/300	15,07	5,83	2,47	1,26	0,73	0,46	0,31	0,22	0,16	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02
0,60	SGN	18,76	9,32	5,34	3,45	2,42	1,79	1,37	1,09	0,89	0,73	0,62	0,53	0,45	0,39	0,35	0,31	0,27	0,25	0,22
	SGU - L/150	18,76	9,32	5,34	2,99	1,73	1,09	0,73	0,51	0,38	0,28	0,22	0,17	0,14	0,11	0,09	0,08	0,06	0,06	0,05
	SGU - L/250	18,76	9,32	4,38	2,24	1,30	0,82	0,55	0,39	0,28	0,21	0,16	0,13	0,10	0,08	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	18,76	6,90	2,92	1,50	0,87	0,55	0,37	0,26	0,19	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02
0,63	SGN	19,88	9,82	5,63	3,64	2,55	1,88	1,45	1,15	0,94	0,77	0,65	0,55	0,48	0,42	0,37	0,32	0,29	0,26	0,23
	SGU - L/150	19,88	9,82	5,63	3,13	1,81	1,14	0,77	0,54	0,39	0,29	0,23	0,18	0,14	0,12	0,10	0,08	0,07	0,06	0,05
	SGU - L/250	19,88	9,82	4,58	2,35	1,36	0,86	0,57	0,40	0,29	0,22	0,17	0,13	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	19,88	7,21	3,05	1,56	0,91	0,57	0,38	0,27	0,20	0,15	0,11	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02

T18 negativ, numărul de panourilor: 3, $R_e=250\text{MPa}$, $R_m=330\text{MPa}$

Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	16,30	8,40	4,88	3,15	2,20	1,62	1,25	0,99	0,80	0,67	0,56	0,48	0,41	0,36	0,32	0,28	0,25	0,22	0,20
	SGU - L/150	16,30	8,40	3,60	1,85	1,07	0,67	0,45	0,32	0,23	0,17	0,13	0,11	0,08	0,07	0,06	0,05	0,04	0,03	0,03
	SGU - L/250	16,30	6,39	2,70	1,38	0,80	0,51	0,34	0,24	0,17	0,13	0,10	0,08	0,06	0,05	0,04	0,04	0,03	0,03	0,02
	SGU - L/300	14,32	4,26	1,80	0,92	0,53	0,34	0,23	0,16	0,12	0,09	0,07	0,05	0,04	0,03	0,03	0,02	0,02	0,02	0,01
0,60	SGN	20,01	10,15	5,81	3,75	2,62	1,93	1,49	1,18	0,96	0,79	0,67	0,57	0,49	0,43	0,38	0,33	0,30	0,27	0,24
	SGU - L/150	20,01	10,15	4,58	2,35	1,36	0,86	0,57	0,40	0,29	0,22	0,17	0,13	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/250	20,01	8,13	3,44	1,76	1,02	0,64	0,43	0,30	0,22	0,17	0,13	0,10	0,08	0,07	0,05	0,05	0,04	0,03	0,03
	SGU - L/300	18,20	5,42	2,29	1,18	0,68	0,43	0,29	0,20	0,15	0,11	0,09	0,07	0,05	0,04	0,04	0,03	0,03	0,02	0,02
0,63	SGN	21,12	10,63	6,08	3,93	2,74	2,02	1,56	1,23	1,00	0,83	0,70	0,60	0,52	0,45	0,39	0,35	0,31	0,28	0,25
	SGU - L/150	21,12	10,63	4,89	2,50	1,45	0,91	0,61	0,43	0,31	0,24	0,18	0,14	0,11	0,09	0,08	0,06	0,05	0,05	0,04
	SGU - L/250	21,12	8,67	3,67	1,88	1,09	0,69	0,46	0,32	0,24	0,18	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,03	0,03
	SGU - L/300	19,40	5,78	2,44	1,25	0,73	0,46	0,31	0,22	0,16	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02

**T18 pozitiv, numărul de panourilor: 3, $R_e=280\text{MPa}$, $R_m=360\text{MPa}$**

Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	16,56	8,49	4,88	3,15	2,20	1,63	1,25	0,99	0,81	0,67	0,56	0,48	0,41	0,36	0,31	0,28	0,25	0,22	0,20
	SGU - L/150	16,56	8,49	4,88	2,53	1,46	0,92	0,62	0,43	0,32	0,24	0,18	0,14	0,12	0,09	0,08	0,06	0,05	0,05	0,04
	SGU - L/250	16,56	8,49	3,70	1,90	1,10	0,69	0,46	0,33	0,24	0,18	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,04	0,03
	SGU - L/300	16,56	5,83	2,47	1,26	0,73	0,46	0,31	0,22	0,16	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02
0,60	SGN	20,62	10,37	5,94	3,84	2,69	1,99	1,53	1,21	0,99	0,81	0,68	0,58	0,50	0,44	0,39	0,34	0,30	0,27	0,25
	SGU - L/150	20,62	10,37	5,84	2,99	1,73	1,09	0,73	0,51	0,38	0,28	0,22	0,17	0,14	0,11	0,09	0,08	0,06	0,06	0,05
	SGU - L/250	20,62	10,35	4,38	2,24	1,30	0,82	0,55	0,39	0,28	0,21	0,16	0,13	0,10	0,08	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	20,62	6,90	2,92	1,50	0,87	0,55	0,37	0,26	0,19	0,14	0,11	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02
0,63	SGN	21,86	10,93	6,26	4,05	2,83	2,09	1,61	1,28	1,04	0,86	0,72	0,62	0,53	0,46	0,41	0,36	0,32	0,29	0,26
	SGU - L/150	21,86	10,93	6,10	3,13	1,81	1,14	0,77	0,54	0,39	0,29	0,23	0,18	0,14	0,12	0,10	0,08	0,07	0,06	0,05
	SGU - L/250	21,86	10,82	4,58	2,35	1,36	0,86	0,57	0,40	0,29	0,22	0,17	0,13	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/300	21,86	7,21	3,05	1,56	0,91	0,57	0,38	0,27	0,20	0,15	0,11	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02

T18 negativ, numărul de panourilor: 3, $R_e=280\text{MPa}$, $R_m=360\text{MPa}$

Grosimea tablei	Cazul	deschiderea panourilor L																		
		0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
[mm]	[-]	[m]																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
0,50	SGN	17,97	9,29	5,47	3,53	2,46	1,82	1,40	1,11	0,90	0,75	0,63	0,54	0,46	0,40	0,35	0,31	0,28	0,25	0,23
	SGU - L/150	17,97	8,33	3,52	1,80	1,05	0,66	0,44	0,31	0,23	0,17	0,13	0,10	0,08	0,07	0,06	0,05	0,04	0,03	0,03
	SGU - L/250	17,97	6,25	2,64	1,35	0,78	0,49	0,33	0,23	0,17	0,13	0,10	0,08	0,06	0,05	0,04	0,03	0,03	0,03	0,02
	SGU - L/300	14,01	4,17	1,76	0,90	0,52	0,33	0,22	0,16	0,11	0,09	0,07	0,05	0,04	0,03	0,03	0,02	0,02	0,02	0,01
0,60	SGN	22,08	11,34	6,51	4,20	2,93	2,16	1,66	1,32	1,07	0,89	0,75	0,64	0,55	0,48	0,42	0,37	0,33	0,30	0,27
	SGU - L/150	22,08	10,61	4,48	2,30	1,33	0,84	0,56	0,39	0,29	0,22	0,17	0,13	0,11	0,09	0,07	0,06	0,05	0,04	0,04
	SGU - L/250	22,08	7,96	3,36	1,72	1,00	0,63	0,42	0,30	0,22	0,16	0,13	0,10	0,08	0,06	0,05	0,04	0,04	0,03	0,03
	SGU - L/300	17,81	5,30	2,24	1,15	0,67	0,42	0,28	0,20	0,14	0,11	0,08	0,07	0,05	0,04	0,04	0,03	0,03	0,02	0,02
0,63	SGN	23,32	11,91	6,81	4,40	3,07	2,27	1,74	1,38	1,12	0,93	0,78	0,67	0,58	0,50	0,44	0,39	0,35	0,31	0,28
	SGU - L/150	23,32	11,31	4,78	2,45	1,42	0,89	0,60	0,42	0,31	0,23	0,18	0,14	0,11	0,09	0,08	0,06	0,05	0,05	0,04
	SGU - L/250	23,32	8,48	3,58	1,84	1,07	0,67	0,45	0,32	0,23	0,17	0,13	0,11	0,08	0,07	0,06	0,05	0,04	0,03	0,03
	SGU - L/300	18,98	5,65	2,39	1,23	0,71	0,45	0,30	0,21	0,15	0,12	0,09	0,07	0,06	0,05	0,04	0,03	0,03	0,02	0,02



Modular roofing tiles
MODULAR SERIES



Compact roofing tiles
COMPACT SERIES



Steel roofing tiles
CLASSIC SERIES



Retro roof tiles
RETRO SERIES



Roof panels
PANEL SERIES



INTEGRATED
PV PANELS



Steel roof gutter system
INGURI



TRAPEZOIDAL
SHEETS



FLAT METAL
SHEETS



FLASHINGS



ACCESORIES



Roof Sandwich
PANELS



Wall Sandwich
PANELS



Facade cladding
SKRIN, LINEA



Wall cassette &
PROSYSTEM



Uncoiling and slitting
SERVICES



Flat sheets and cutting
SERVICES



PERFORATION
of sheets