

Technical  
catalogue  
**CORE** PIR

**CORE** PIR

THE POWER OF ROOFS



1.

## Properties of CORE<sup>PIR</sup> sandwich panels

- 5. General Information
- 7. Application
- 8. Thermal insulation
- 8. Acoustic properties
- 8. Fire resistance
- 9. General rules of panel assembly
- 9. Selection and application of connectors for the assembly of sandwich panels

2.

## Technical data of CORE<sup>PIR</sup> sandwich panels

- 12. Parameters SPW-S CORE<sup>PIR</sup>
- 14. Parameters SPW-H CORE<sup>PIR</sup>
- 16. Parameters SPW-C CORE<sup>PIR</sup>
- 20. Parameters SPR CORE<sup>PIR</sup>

3.

## Types of profiling, coatings and colours

- 24. Types of profiling
- 26. Coatings
- 26. Colour range

4.

## Technical details of CORE<sup>PIR</sup> sandwich panels

- 30. Details SPW-S CORE<sup>PIR</sup> horizontal layout
- 43. Details SPW-S CORE<sup>PIR</sup> vertical layout
- 56. Details SPW-H CORE<sup>PIR</sup> horizontal layout
- 71. Details SPW-H CORE<sup>PIR</sup> vertical layout
- 84. Details SPR CORE<sup>PIR</sup>

5.

## Flashings

- 100. Flashings dedicated for CORE<sup>PIR</sup> sandwich panels

6.

## Contact details

- 132. Contact





# 1.

## Properties of CORE<sup>PIR</sup> sandwich panels

- 5. General Information
- 7. Application
- 8. Thermal insulation
- 8. Acoustic properties
- 8. Fire resistance
- 9. General rules of panel assembly
- 9. Selection and application of connectors  
for the assembly of sandwich panels

## General Information

The CORE<sup>PIR</sup> sandwich panel consists of two galvanised steel sheets as the outer and inner lining of the panel and a PIR foam core, which is also the load-bearing and insulating layer. Double-sided galvanised steel sheet type S280GD or S320GD and zinc weight Z100 g/m<sup>2</sup> for indoor use only and Z225 g/m<sup>2</sup> or Z275 g/m<sup>2</sup> for indoor and outdoor use. As a standard, the sheet is coated with a 25 µm polyester coating. On special request, it can be coated with HDP35 or HDX55. The sandwich panel cladding is finished with a special film, which is designed to protect sandwich panels during transport, loading and unloading and during their storage in a warehouse or on the construction site. The core of the panel is rigid polyisocyanurate foam, abbreviated colloquially called PIR foam, which is characterised by increased fire parameters increasing fire safety and excellent thermal and acoustic insulation properties significantly increasing the quality of the constructed of modernised facility. The density of the foam is 40±3 kg/m<sup>3</sup>

## Application

Sandwich panels are a modern product with a very wide range of applications in today's construction industry. They are used to develop both roofs and facades of new buildings as well as modernised ones. They are also used for interior walls and ceilings, ensuring the freedom to arrange interior production, storage or office areas. Due to the excellent thermal conductivity coefficient:  $\lambda=0.022$  W/mK, it is used, among others, in the construction of cold stores and freezers. Attractive colours and varied profiling allow for the design and construction of public utility facilities. This technology makes it possible develop buildings in a very short time and, in addition, due to its attractive price, allows the use of sandwich panels to be so common on today's developments.





## Thermal insulation

According to the current Technical Conditions 2021, newly designed and constructed partitions should meet certain requirements. In the case of external walls, the legislator has classified this according to the temperatures provided for when using the rooms:

- for rooms > 8 °C coefficient UC=0.9 W/m2K
- for rooms between (8 and 16 °C) coefficient UC=0.45 W/m2K
- for rooms ≤ 16 °C coefficient UC=0.2 W/m2K



## Acoustic properties

CORE<sup>PIR</sup> sandwich panels have a minimum insulation factor of ≥ 24 dB (-2, -4), this allows to use sandwich panels as a partition in many facilities, both industrial and public utility, thereby increasing the quality level of the facilities operated in accordance with the applicable standards in this respect.



## Fire resistance

CORE<sup>PIR</sup> sandwich panels have been tested for their fire resistance by the relevant authorised testing bodies. They are NRO approved and have a very good fire resistance and reaction to fire class.



## General rules of panel assembly

Before starting the installation of sandwich panels, the following should be checked:

- compatibility of the load-bearing structure of the facility with the design
- whether the surface of the transoms is in one plane
- whether the elements of the load-bearing structure have been adequately protected against corrosion
- linearity and level of the plinth
- whether there is access for delivery trucks and space for manoeuvring the hoists or other devices which will be used for the assembly
- whether tools for the installation of sandwich panels and assembly control have been selected correctly and whether auxiliary tools have been completed
- checking the authorization of workers to perform specific works in this area and whether all workers have up-to-date safety training.



## Selection and application of connectors for the assembly of sandwich panels

The choice of fasteners must be in accordance with the designer's recommendations and verified for load-bearing capacity by the constructor; fasteners can be self-drilling or self-tapping but designed for the relevant material from which the load-bearing structure is made. The most common structures are reinforced concrete, steel and timber.






# 2.

## Technical data of CORE<sup>PIR</sup> sandwich panels


- 12. Parameters SPW-S CORE PIR
- 14. Parameters SPW-H CORE PIR
- 16. Parameters SPW-C CORE PIR
- 20. Parameters SPR CORE PIR

# SPW-S CORE<sup>PIR</sup>


## Wall panel with visible fastening



### Panel cross-section



### Joining the panels



## Technical specifications

Core	PIR				
Density [kg/m <sup>3</sup> ]	40 ± 3				
PIR panel thickness [mm]	40	60	80	100	120
Weight [kg/m <sup>2</sup> ]	8,7	9,5	10,3	11,1	11,9
Effective width [mm]	1150, 1000*				
Total width [mm]	1171, 1021*				
Min. panel length [m]	2,5	2,0			
Max. panel length [m]	15,0				
Outer/inner sheet thickness [mm]	0,4-0,7 / 0,4-0,7				
U-value [W/m <sup>2</sup> K]	0,55	0,37	0,28	0,22	0,18
Fire spread degree	NRO				
Fire resistance				EI15	EI30
Type of external / internal profiling	[M], [T], [R], [F] / [M], [T], [F]				
External / internal corrosion resistance	C1, C2, C3 (C4 ÷ C5) / A1 (A2 ÷ A5)				
Standard coatings	Poliester Interior [INT], Poliester Standard [RAL], HERCULIT [HC], MULTILAYER 40 [MLT]				
Special coatings	PVDF, PUR, PVC (P), PVC (F) - FoodSafe				
Accessories	fixing system, seals, flashings, rooflight SPR-SKY				

## Packaging panels


Panel thickness [mm]	Modular width [mm]	Number of panels per pack [pcs]	Number of packages on a vehicle [pcs]	Maximum package height [mm]	Package height [mm]	Panel weight [kg/m <sup>2</sup> ]	Weight of 1 package [kg]	Surface area of panels [m <sup>2</sup> /car]**
40	1150	19	6	860	2580	8,7	2566,3	1769,9
60	1150	13	6	880	2640	9,5	1917,3	1211,0
80	1150	15	4	1300	2600	10,3	2398,6	931,5
100	1150	12	4	1300	2600	11,1	2067,9	745,2
120	1150	10	4	1300	2600	11,9	1847,5	621,0




\* Module availability is agreed individually with the sales department.  
 \*\* Surface area of panels on car calculated for panel lengths of 13.5 m.

# SPW-H CORE<sup>PIR</sup>


## Sandwich wall panel with concealed fixing



### Panel cross-section



### Joining the panels



## Technical specifications

Core	PIR			
Density [kg/m <sup>3</sup> ]	40 ± 3			
PIR panel thickness [mm]	60	80	100	120
Weight [kg/m <sup>2</sup> ]	9,5	10,3	11,1	11,9
Effective width [mm]	1050			
Total width [mm]	1102			
Min. panel length [m]	2,0			
Max. panel length [m]	15,0			
Outer/inner sheet thickness [mm].	0,4-0,7 / 0,4-0,7			
U-value [W/m <sup>2</sup> K].	0,37	0,28	0,22	0,18
Fire spread degree	NRO			
Type of external / internal profiling	[M], [T], [R], [F] / [M], [T], [F]			
External / internal corrosion resistance	C1, C2, C3 (C4 ÷ C5) / A1 (A2 ÷ A5)			
Standard coatings	POLIESTER INTERIOR [INT], POLIESTER STANDARD [RAL], HERCULIT [HC], MULTILAYER 40 [MLT]			
Special coatings	PVDF, PUR, PVC (P), PVC (F) - FOODSAFE			
Accessories	FIXING SYSTEM, SEALS, FLASHINGS, ROOFLIGHT SPR-SKY			

## Packaging panels


Panel thickness [mm]	Modular width [mm]	Number of panels per pack [pcs]	Number of packages on a vehicle [pcs]	Maximum package height [mm]	Package height [mm]	Panel weight [kg/m <sup>2</sup> ]	Weight of 1 package [kg]	Surface area of panels [m <sup>2</sup> /car] **
60	1050	13	6	880	2640	9,5	1750,6	1105,7
80	1050	15	4	1300	2600	10,3	2190,0	850,5
100	1050	12	4	1300	2600	11,1	1888,1	680,4
120	1050	10	4	1300	2600	11,9	1686,8	567,0

! \*\* Surface area of panels on car calculated for panel lengths of 13.5 m.




# SPW-C CORE<sup>PIR</sup>


## Cooling sandwich panel



### Panel cross-section



### Joining the panels



## Technical specifications

Core	<b>PIR</b>
Density [kg/m <sup>3</sup> ]	<b>40 ± 3</b>
PIR panel thickness [mm]	<b>120</b>
Weight [kg/m <sup>2</sup> ]	<b>11,9</b>
Effective width [mm]	<b>1150, 1000*</b>
Total width [mm]	<b>1171, 1021*</b>
Min. panel length [m]	<b>2,0</b>
Max. panel length [m]	<b>15,0</b>
Outer/inner sheet thickness [mm].	<b>0,4-0,7 / 0,4-0,7</b>
U-value [W/m <sup>2</sup> K].	<b>0,18</b>
Fire spread degree	<b>NRO</b>
Type of external / internal profiling	<b>[M], [T], [R], [F] / [M], [T], [F]</b>
External / internal corrosion resistance	<b>C1, C2, C3 (C4 + C5) / A1 (A2 + A5)</b>
Standard coatings	<b>Poliester Interior [INT], Poliester Standard [RAL], HERCULIT [HC], MULTILAYER 40 [MLT]</b>
Special coatings	<b>PVDF, PUR, PVC (P), PVC (F) - FoodSafe</b>
Accessories	<b>fixing system, seals, flashings, rooflight SPR-SKY</b>

## Packaging panels


Panel thickness [mm]	Modular width [mm]	Number of panels per pack [pcs]	Number of packages on a vehicle [pcs]	Maximum package height [mm]	Package height [mm]	Panel weight [kg/m <sup>2</sup> ]	Weight of 1 package [kg]	Surface area of panels [m <sup>2</sup> /car]**
<b>120</b>	<b>1150</b>	<b>10</b>	<b>4</b>	<b>1300</b>	<b>2600</b>	<b>11,9</b>	<b>1847,5</b>	<b>621,0</b>




\* Module availability is agreed individually with the sales department.  
 \*\* Surface area of panels on car calculated for panel lengths of 13.5 m.

# SPW-C CORE<sup>PIR</sup>


## Cooling sandwich panel



### Panel cross-section



### Joining the panels



## Technical specifications

Core	PIR		
Density [kg/m <sup>3</sup> ]	40 ± 3		
PIR panel thickness [mm]	160	180	200
Weight [kg/m <sup>2</sup> ]	13,5	14,3	15,1
Effective width [mm]	1150, 1000*		
Total width [mm]	1171, 1021*		
Min. panel length [m]	2,0		
Max. panel length [m]	15,0		
Outer/inner sheet thickness [mm].	0,4-0,7 / 0,4-0,7		
U-value [W/m <sup>2</sup> K].	0,14	0,12	0,11
Fire spread degree	NRO		
Type of external / internal profiling	[M], [T], [R], [F] / [M], [T], [F]		
External / internal corrosion resistance	C1, C2, C3 (C4 + C5) / A1 (A2 + A5)		
Standard coatings	Poliester Interior [INT], Poliester Standard [RAL], HERCULIT [HC], MULTILAYER 40 [MLT]		
Special coatings	PVDF, PUR, PVC (P), PVC (F) - FoodSafe		
Accessories	fixing system, seals, flashings, rooflight SPR-SKY		

## Packaging panels


Panel thickness [mm]	Modular width [mm]	Number of panels per pack [pcs]	Number of packages on a vehicle [pcs]	Maximum package height [mm]	Package height [mm]	Panel weight [kg/m <sup>2</sup> ]	Weight of 1 package [kg]	Surface area of panels [m <sup>2</sup> /car]**
160	1150	7	4	1220	2440	13,5	1467,1	434,7
180	1150	6	4	1180	2360	14,3	1332,0	372,6
200	1150	6	4	1300	2600	15,1	1406,6	372,6




\* Module availability is agreed individually with the sales department.  
 \*\* Surface area of panels on car calculated for panel lengths of 13.5 m.

# SPR CORE<sup>PIR</sup>


## Roof sandwich panel



### Panel cross-section



### Joining the panels



## Technical specifications

Core	PIR					
Density [kg/m <sup>3</sup> ]	40 ± 3					
PIR panel thickness [mm]	40	60	80	100	120	160
Weight [kg/m <sup>2</sup> ]	9,6	10,4	11,2	12,0	12,8	14,8
Effective width [mm]	1050					
Total width [mm]	1127					
Min. panel length [m]	2,0					
Max. panel length [m]	15,0					
Outer/inner sheet thickness [mm].	0,4-0,7 / 0,4-0,7					
U-value [W/m <sup>2</sup> K].	0,55	0,37	0,28	0,22	0,18	0,14
Fire spread degree	NRO					
Type of external / internal profiling	[T40] / [M], [T], [F]					
External / internal corrosion resistance	C1, C2, C3 (C4 ÷ C5) / A1 (A2 ÷ A5)					
Standard coatings	Poliester Interior [INT], Poliester Standard [RAL], HERCULIT [HC], MULTILAYER 40 [MLT]					
Special coatings	PVDF, PUR, PVC (P), PVC (F) - FoodSafe					
Accessories	fixing system, seals, flashings, rooflight SPR-SKY					

## Packaging panels

Panel thickness [mm]	Modular width [mm]	Number of panels per pack [pcs]	Number of packages on a vehicle [pcs]	Maximum package height [mm]	Package height [mm]	Panel weight [kg/m <sup>2</sup> ]	Weight of 1 package [kg]	Surface area of panels [m <sup>2</sup> /car]
40	1050	20	4	1300	2600	9,6	2721,6	1134,0
60	1050	10	6	900	2700	10,4	1474,2	850,5
80	1050	12	4	1300	2600	11,2	1905,1	680,4
100	1050	10	4	1300	2600	12	1701,0	567,0
120	1050	8	4	1220	2440	12,8	1451,5	453,6
160	1050	6	4	1180	2360	14,8	1258,7	340,2

! \*\* Surface area of panels on car calculated for panel lengths of 13.5 m.



# 3.

## Types of profiling, coatings and colours






24. Types of profiling

26. Coatings





26. Colour range

# Profiling types of CORE<sup>PIR</sup> wall sandwich panels

## External profiling



## Internal profiling





ATTENTION! Due to the structure of sandwich panels with FLAT [F] profiles, the so-called effect may occur „waves“ of the sheet metal. This is a natural phenomenon for this type of products. We recommend contacting the technical department to choose the optimal solution.







Internal and external profiling are available in any configuration.

# Profiling types of CORE<sup>PIR</sup> roof sandwich panels

## External profiling



## Internal profiling



ATTENTION! Due to the structure of sandwich panels with FLAT [F] profiles, the so-called effect may occur „waves“ of the sheet metal. This is a natural phenomenon for this type of products. We recommend contacting the technical department to choose the optimal solution.




Internal and external profiling are available in any configuration.

# Coatings and colours

Due to the possibility of different environmental conditions, it becomes very important to correctly choose and apply a suitable coating for the external and internal cladding of sandwich panels. One of the criteria is the EN ISO 12944-2:2001 standard, which defines the corrosivity categories: C1, C2, C3, C4, C5-I and C5-M. The corrosivity category specified in the project is a guideline, which must be followed when choosing the appropriate coating.


## POLYESTER Interior [INT] – available colours for interior cladding



## POLYESTER Standard [RAL] – available colours for the external cladding



## HERCULIT [HC]



## MULTILAYER 40 [MLT] – available colours for the external cladding



The printing technology does not allow the accurate rendering of colours, therefore the colours shown are indicative and may differ from the real ones.




In addition, upon request, custom colours and coatings are available, outside the presented palette (PVDF, PUR, PVC (P), PVC (F)–FoodSafe).

The following overview is indicative.

Code	Coating thickness	Corrosion resistance	UV resistance
<b>POLYESTER Interior [INT]</b>	15 µm	RA2	not applicable
<b>POLYESTER Standard [RAL]</b>	25 µm	RC3	RUV2
<b>HERCULIT [HC]</b>	35 µm	RC4	RUV4
<b>MULTILAYER 40 [MLT]</b>	40 µm	RC3	RUV3

Coated sheet cross-section





# 4.

## Technical details of CORE<sup>PIR</sup> sandwich panels


30. Details SPW-S CORE PIR horizontal layout

43. Details SPW-S CORE PIR vertical layout

56. Details SPW-H CORE PIR horizontal layout

71. Details SPW-H CORE PIR vertical layout

84. Details SPR CORE PIR




# Details SPW-S CORE<sup>PIR</sup>


Detail of fixing the sandwich panel at the ground beam variant I,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## SPW-S CORE<sup>PIR</sup> sandwich panel – horizontal installation



## DSH 1



### Table of details SPW-S CORE<sup>PIR</sup> horizontal installation

- |                                                                               |                                                                                    |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 31. DSH 1 – detail of fixing the sandwich panel at the ground beam variant I  | 37. DSH 7 – detail of fixing the sandwich panel in the inner corner                |
| 32. DSH 2 – detail of fixing the sandwich panel at the ground beam variant II | 38. DSH 8 – detail of fixing the sandwich panel at the window                      |
| 33. DSH 3 – detail of fixing the sandwich panel in the outer corner           | 39. DSH 9 – detail of fixing the sandwich panel at the door                        |
| 34. DSH 4 – detail of fixing the sandwich panel on the fitting lengthwise     | 40. DSH 10 – detail of fixing the sandwich panel at the ground beam                |
| 35. DSH 5 – detail of fixing the sandwich panel at the attic                  | 41. DSH 11 – detail of fixing the sandwich panel at the attic, inner trough        |
| 36. DSH 6 – detail of fixing the sandwich panel to the wall                   | 42. DSH 12 – detail of fixing the sandwich at the roof sandwich panel SPR CORE PIR |


1. SPW-S CORE PIR sandwich panel
2. Thermal insulation of the runway
3. ALU/steel sealed rivet NIT01B 4,8 x 11
4. OC2 profile supporting sandwich panel
5. Flashing OB2 runway drip cap
6. Supporting profile OC1
7. Fixing anchor for support profile OC1
8. ALU/steel sealed rivet NIT01A 4,0 x 11
9. Thermal insulation of the sandwich panel joint with the ground beam
10. Flashing OB1 masking the connection of the sandwich panel with the ground beam
11. Fastening connector for flashing
12. Polyethylene tape (PES) TAS01F 4 x 20



Detail of fixing the sandwich panel at the ground beam variant II,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 2




1. SPW-S CORE PIR sandwich panel
2. Thermal insulation of the runway
3. ALU/steel sealed rivet NIT01B
4. 4,8 x 11
5. OC2 profile supporting sandwich panel
6. Flashing OB3 runway drip cap
7. Supporting profile OC1
8. Fixing anchor for support profile OC1
9. ALU/steel sealed rivet NIT01A 4,0 x 11
10. Thermal insulation of the sandwich panel joint with the ground beam
11. Flashing OB1 masking the connection of the sandwich panel with the ground beam
12. Fastening connector for flashing
13. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel in the outer corner,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 3




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB4 masking the connection of sandwich panels in the corner
6. L-shaped support profile according to structural design
7. Thermal insulation at the sandwich panel joint in the corner
8. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel on the fitting lengthwise,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 4




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB5 masking the connection of sandwich panels lengthwise
6. Thermal insulation at the connection of sandwich panels
7. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the attic,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 5




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB6 masking the attic finish
6. Bracket OB7 of the flashing masking the attic finish, installed every approx. 1000 mm
7. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel to the wall,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 6




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB8 masking the connection of the sandwich panels with the wall from the outside
6. Thermal insulation at the sandwich panel joint in the corner
7. Wall plug
8. Self-tapping screw
9. Flashing OB9 masking the connection of sandwich panels with the wall from inside
10. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel in the inner corner,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 7




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB10 masking the connection of the sandwich panels in the internal corner
6. Thermal insulation at the sandwich panel joint in the corner
7. Profile by steel structure
8. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the window,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 8




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Horizontal flashing OB11 masking the connection between sandwich panels and a window, sill
6. Thermal insulation at the connection between the sandwich panels and the window
7. Supporting profile OC1
8. Self-tapping screw
9. Individual solution
10. OC2 profile supporting sandwich panel
11. Flashing OB14 bottom over-window drip cap
12. Flashing OB13 over-window drip cap
13. Vertical flashing OB15 masking the connection between the sandwich panels and the window
14. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the door,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 9




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Door profile according to construction design
6. Thermal insulation at the connection between the sandwich panels and the window
7. Supporting profile OC1
8. Self-tapping screw
9. Individual solution
10. OC2 profile supporting sandwich panel
11. Flashing OB14 bottom over-window drip cap
12. Flashing OB13 over-window drip cap
13. Vertical flashing OB15 masking the connection between the sandwich panels and the window
14. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the ground beam,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 10




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Vertical flashing OB18 masking the connection between the sandwich panels and the door frame
6. Thermal insulation at the connection between the sandwich panels and the gate
7. Supporting profile OC4
8. Horizontal flashing OB17 masking the connection between the sandwich panels and the bottom gate
9. Horizontal flashing OB16 masking the connection between the sandwich panels and the gate
10. Profile OC4
11. Profile by steel structure
12. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the attic, inner trough,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSH 11




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB6 masking the attic finish
6. Bracket OB7 of the flashing masking the attic finish, installed every approx. 1000 mm
7. Flashing OB19 masking the connection of roof waterproofing with inner attic casing
8. Profile by steel structure
9. Bracket OB20 of the flashing masking the connection of the roof waterproofing with the inner casing of the attics
10. Profile by steel structure
11. Flashing OB21 masking the connection between the roof sandwich panel and the internal gutter
12. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich at the roof sandwich panel SPR CORE PIR,  
fixing – standard connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139


## DSH 12



1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Flashing OB22 masking the connection between the wall and roof sandwich panels from the outside
5. Flashing OB23 masking the connection between the wall and roof sandwich panels from the inside
6. Thermal insulation at the connection of wall and roof sandwich panels
7. Integrated gutter

## Details SPW-S CORE<sup>PIR</sup>

### SPW-S CORE<sup>PIR</sup> sandwich panel – vertical installation




### Table of details SPW-S CORE<sup>PIR</sup> vertical installation

- |                                                                               |                                                                                          |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 44. DSV 1 – detail of fixing the sandwich panel at the ground beam variant I  | 50. DSV 7 – detail of fixing the sandwich panel in the inner corner                      |
| 45. DSV 2 – detail of fixing the sandwich panel at the ground beam variant II | 51. DSV 8 – detail of fixing the sandwich panel at the window                            |
| 46. DSV 3 – detail of fixing the sandwich panel in the outer corner           | 52. DSV 9 – detail of fixing the sandwich panel at the door                              |
| 47. DSV 4 – detail of fixing the sandwich panel on the fitting lengthwise     | 53. DSV 10 – detail of fixing the sandwich panel at the gate                             |
| 48. DSV 5 – detail of fixing the sandwich panel at the attic                  | 54. DSV 11 – detail of fixing the sandwich panel at the attic, inner trough              |
| 49. DSV 6 – detail of fixing the sandwich panel to the wall                   | 55. DSV 12 – detail of fixing the sandwich panel at the roof sandwich panel SPR CORE PIR |

Detail of fixing the sandwich panel at the ground beam variant I,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 1




1. SPW-S CORE PIR sandwich panel
2. Self-drilling screw for sandwich panel assembly
3. ALU/steel sealed rivet NIT01B 4,8 x 11
4. Flashing OB24 runway drip cap
5. Supporting profile OC1
6. Fixing anchor for support profile OC1
7. ALU/steel sealed rivet NIT01A 4,0 x 11
8. Thermal insulation of the connection of the sandwich panel with the ground beam
9. Flashing B1 masking the connection between sandwich panel and the ground beam
10. Polyethylene tape (PES) TAS01F 4 x 20
11. Anchor fixing the flashings to the ground beam

Detail of fixing the sandwich panel at the ground beam variant II,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 2




1. SPW-S CORE PIR sandwich panel
2. Self-drilling screw for sandwich panel assembly
3. ALU/steel sealed rivet NIT01B 4,8 x 11
4. Flashing OB25 runway drip cap
5. Supporting profile OC1
6. Fixing anchor for support profile OC1
7. ALU/steel sealed rivet NIT01A 4,0 x 11
8. Thermal insulation of the connection of the sandwich panel with the ground beam
9. Flashing B1 masking the connection between sandwich panel and the ground beam
10. Polyethylene tape (PES) TAS01F 4 x 20
11. Anchor fixing the flashings to the ground beam

Detail of fixing the sandwich panel in the outer corner,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 3




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB4 masking the connection of sandwich panels in the corner
6. Flashing OB50 masking the connection between the sandwich panels in the outer corner from the inside
7. Thermal insulation at the sandwich panel joint in the corner

Detail of fixing the sandwich panel on the fitting lengthwise,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 4




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB26 masking the connection of sandwich panels
6. Thermal insulation at the connection of sandwich panels
7. Flashing OB27
8. L-shaped support profile according to structural design
9. Polyethylene tape (PES) TAS01F 4 x 20



Detail of fixing the sandwich panel at the attic,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 5




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB6 masking the attic finish
6. Bracket OB7 of the flashing masking the attic finish, installed every approx. 1000 mm
7. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel to the wall,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 6




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB8 masking the connection of the sandwich panels with the wall from the outside
6. Thermal insulation at the sandwich panel joint in the corner
7. Wall plug
8. Self-tapping screw
9. Flashing OB9 masking the connection of sandwich panels with the wall from inside
10. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel in the inner corner,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 7




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB10 masking the connection of the sandwich panels in the internal corner
6. Thermal insulation at the sandwich panel joint in the corner
7. Flashing OB51 masking the connection between the sandwich panels in the inner corner from the inside

Detail of fixing the sandwich panel at the window,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 8




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Horizontal flashing OB11 masking the connection between sandwich panels and a window, sill
6. Thermal insulation at the connection between the sandwich panels and the window
7. Supporting profile OC1
8. Self-tapping screw
9. Flashing OB12 masking the connection between the sandwich panels and the window on the inside
10. Permanently elastic mass
11. Flashing OB28 bottom drip cap
12. Flashing OB29 upper drip cap
13. Vertical flashing OB15 masking the connection between the sandwich panels and the window
14. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the door,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 9




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Door profile according to construction design
6. Thermal insulation at the connection between the sandwich panels and the window
7. Supporting profile OC1
8. Self-tapping screw
9. Individual solution
10. Permanently elastic mass
11. Flashing OB28 bottom drip cap
12. Flashing OB29 upper drip cap
13. Vertical flashing OB15 masking the connection between the sandwich panels and the window
14. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the gate,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 10




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Vertical flashing OB18 masking the connection between the sandwich panels and the door frame
6. Thermal insulation at the connection between the sandwich panels and the window
7. Supporting profile OC1
8. Horizontal flashing OB17 bottom drip cap
9. Horizontal flashing OB29 upper drip cap
10. Rivet 4,8 x 11
11. Profile by steel structure
12. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the attic, inner trough,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 11




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Flashing OB6 masking the attic finish
6. Bracket OB7 of the flashing masking the attic finish, installed every approx. 1000 mm
7. Flashing OB19 masking the connection of roof waterproofing with inner attic casing
8. Profile by steel structure
9. Bracket OB20 of the flashing masking the connection of the roof waterproofing with the inner casing of the attic
10. Profile by steel structure
11. Flashing OB21 masking the connection between the roof sandwich panel and the inner gutter
12. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the roof sandwich panel SPR CORE PIR,  
fixing – standard connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DSV 12




1. SPW-S CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Flashing OB22 masking the connection between the wall and roof sandwich panels from the outside
5. Flashing OB23 masking the connection between the wall and roof sandwich panels from the inside
6. Thermal insulation at the connection of wall and roof sandwich panels
7. Integrated gutter

# Details SPW-H CORE<sup>PIR</sup>


Detail of fixing the sandwich panel at the ground beam variant I,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## SPW-H CORE<sup>PIR</sup> sandwich panel – horizontal installation



## DHH 1



### Table of details SPW-H CORE<sup>PIR</sup> horizontal layout


- |                                                                                   |                                                                                          |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 57. DHH 1 – detail of fixing the sandwich panel at the ground beam variant I      | 65. DHH 7 – detail of fixing the sandwich panel in the inner corner                      |
| 58. DHH 2 – detail of fixing the sandwich panel at the ground beam variant II     | 66. DHH 8 – detail of fixing the sandwich panel at the window                            |
| 59. DHH 3 / DHH 3A – detail of fixing the sandwich panel in the outer corner      | 67. DHH 9 – detail of fixing the sandwich panel at the door                              |
| 61. DHH 4 / DHH 4A – detail of fixing the sandwich panel on lengthwise connection | 68. DHH 10 – detail of fixing the sandwich panel at the gate                             |
| 63. DHH 5 – detail of fixing the sandwich panel at the attic                      | 69. DHH 11 – detail of fixing the sandwich panel at the attic, inner trough              |
| 64. DHH 6 – detail of fixing the sandwich panel to the wall                       | 70. DHH 12 – detail of fixing the sandwich panel at the roof sandwich panel SPR CORE PIR |

1. SPW-H CORE PIR sandwich panel
2. Thermal insulation of the runway
3. ALU/steel sealed rivet NIT01B 4,8 x 11
4. OC3 profile supporting sandwich panel
5. Supporting profile OC1
6. Fixing anchor for support profile OC1
7. Polyethylene tape (PES) TAS01F 4 x 20
8. ALU/steel sealed rivet NIT01A 4,0 x 11
9. Thermal insulation of the connection of the sandwich panel with the ground beam
10. Flashing B1 masking the connection between sandwich panel and the ground beam
11. Thermal insulation of the runway

Detail of fixing the sandwich panel at the ground beam variant,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 2




1. SPW-H CORE PIR sandwich panel
2. Thermal insulation of the runway
3. ALU/steel sealed rivet NIT01B 4,8 x 11
4. OC3 profile supporting sandwich panel
5. Supporting profile OC1
6. Fixing anchor for support profile OC1
7. Polyethylene tape (PES) TAS01F 4 x 20
8. ALU/steel sealed rivet NIT01A 4,0 x 11
9. Thermal insulation of the connection of the sandwich panel with the ground beam
10. Flashing B1 masking the connection between sandwich panel and the ground beam
11. Thermal insulation of the runway

Detail of fixing the sandwich panel in the outer corner,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 3




1. SPW-H CORE PIR sandwich panel
2. Thermal insulation at the connection of sandwich panels
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB4 masking the connection of sandwich panels in the corner
7. L-shaped support profile according to structural design
8. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel in the outer corner  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 3A




1. SPW-H CORE PIR sandwich panel
2. Thermal insulation at the connection of sandwich panels
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB48 masking the connection of sandwich panels in the corner
7. L-shaped support profile according to structural design
8. Polyethylene tape (PES) TAS01F 4 x 20
9. WKRO7B Stress dissipater

Detail of fixing the sandwich panel on lengthwise connection,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 4




1. SPW-H CORE PIR sandwich panel
2. Thermal insulation at the connection of sandwich panels
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB5 masking the connection of sandwich panels lengthwise
7. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel on lengthwise connection,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 4A




1. SPW-H CORE PIR sandwich panel
2. Thermal insulation at the connection of sandwich panels
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB49 masking the connection of sandwich panels lengthwise
7. Polyethylene tape (PES) TAS01F 4 x 20
8. WKRO7B Stress dissipater

Detail of fixing the sandwich panel at the attic,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 5




1. SPW-H CORE PIR sandwich panel
2. Bracket OB7 of the flashing masking the attic finish, installed every approx. 1000 mm
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB6 masking the attic finish
7. Polyethylene tape (PES) TAS01F 4 x 20
8. WKRO7B Stress dissipater



Detail of fixing the sandwich panel to the wall,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 6




1. SPW-H CORE PIR sandwich panel
2. Flashing OB9 masking the joint between the sandwich panels and the wall from the inside
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB8 masking the connection of the sandwich panels with the wall from the outside
7. Wall plug 8x60
8. Thermal insulation at the connection between the sandwich panel and the wall
9. Self-tapping screw 6,5x38
10. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel in the inner corner,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 7




1. SPW-H CORE PIR sandwich panel
2. Flashing OB30 masking the connection of sandwich panels in the inner corner
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Thermal insulation at the connection of sandwich panels
7. L-shaped support profile according to structural design
8. Polyethylene tape (PES) TAS01F 4 x 20
9. WKRO7B Stress dissipater

Detail of fixing the sandwich panel at the window,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 8




1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Horizontal flashing OB11 masking the connection between sandwich panels and a window, sill
6. Thermal insulation at the connection between the sandwich panels and the window
7. Supporting profile OC3
8. Self-tapping screw
9. Individual solution
10. OC2 profile supporting sandwich panel
11. Flashing OB31, drip cap over the window
12. Vertical flashing OB15 masking the connection between the sandwich panels and the window
13. WKRO7B Stress dissipater
14. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the door,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 9




1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Thermal insulation at the connection between the sandwich panels and the door
6. Supporting profile OC3
7. Self-tapping screw
8. Individual solution
9. OC2 profile supporting sandwich panel
10. Flashing OB32, drip cap
11. Vertical flashing OB15 masking the connection between the sandwich panels and the door
12. WKRO7B Stress dissipater
13. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the gate,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 10




1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Thermal insulation at the connection between the sandwich panels and the gate
6. Supporting profile OC1
7. Horizontal flashing OB33 masking the connection of sandwich panels with the gate
8. Vertical flashing OB34 masking the connection of sandwich panels with the gate
9. Supporting profile OC1
10. Profile OC4
11. WKRO7B Stress dissipater
12. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the attic, inner trough,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHH 11




1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Bracket OB7 of the flashing masking the attic finish, installed every approx. 1000 mm
6. Flashing OB6 masking the attic finish
7. Flashing OB19 masking the connection of roof waterproofing with inner attic casing
8. Bracket OB20 of the flashing masking the connection of the roof waterproofing with the inner casing of the attics
9. Profile by steel structure
10. Flashing OB21 masking the connection between the roof sandwich panel and the inner gutter
11. Profile by steel structure
12. WKRO7B Stress dissipater
13. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the roof sandwich panel SPR CORE PIR,  
fixing – hidden connector,  
panel arrangement – horizontal

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139


## DHH 12



1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Thermal insulation at the connection of wall and roof sandwich panels
5. Flashing OB22 masking the connection between the wall and roof sandwich panels from the outside
6. Flashing OB23 masking the connection between the wall and roof sandwich panels from the inside
7. Integrated gutter

## Details SPW-H CORE<sup>PIR</sup>

### SPW-H CORE<sup>PIR</sup> sandwich panel – vertical installation




### Table of details SPW-H CORE<sup>PIR</sup> vertical installation

- |                                                                               |                                                                                    |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 72. DHV 1 – detail of fixing the sandwich panel at the ground beam variant I  | 78. DHV 7 – detail of fixing the sandwich panel in the inner corner                |
| 73. DHV 2 – detail of fixing the sandwich panel at the ground beam variant II | 79. DHV 8 – detail of fixing the sandwich panel at the window                      |
| 74. DHV 3 – detail of fixing the sandwich panel in the outer corner           | 80. DHV 9 – detail of fixing the sandwich panel at the door                        |
| 75. DHV 4 – detail of fixing the sandwich panel on the fitting lengthwise     | 81. DHV 10 – detail of fixing the sandwich panel at the gate                       |
| 76. DHV 5 – detail of fixing the sandwich panel at the attic                  | 82. DHV 11 – detail of fixing the sandwich panel at the attic, inner trough        |
| 77. DHV 6 – detail of fixing the sandwich panel to the wall                   | 83. DHV 12 – detail of fixing the sandwich at the roof sandwich panel SPR CORE PIR |

Detail of fixing the sandwich panel at the ground beam variant I,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 1




1. SPW-H CORE PIR sandwich panel
2. Thermal insulation of the runway
3. ALU/steel sealed rivet NIT01B 4,8 x 11
4. Supporting profile OC1
5. Fixing anchor for support profile OC1
6. Flashing OB24 runway drip cap
7. Polyethylene tape (PES) TAS01F 4 x 20
8. ALU/steel sealed rivet NIT01A 4,0 x 11
9. Thermal insulation of the connection of the sandwich panel with the ground beam
10. Flashing B1 masking the connection between sandwich panel and the ground beam
11. Thermal insulation of the runway
12. Fastener for sandwich panel assembly
13. Fastener for assembly L-shaped support profile according to structural design
14. L-shaped support profile according to structural design
15. WKRO7B Stress dissipater

Detail of fixing the sandwich panel at the ground beam variant II,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 2




1. SPW-H CORE PIR sandwich panel
2. Fastening connector for sandwich panel
3. ALU/steel sealed rivet NIT01B 4,8 x 11
4. Flashing OB24 runway drip cap
5. L-shaped support profile according to structural design
6. Fixing anchor for L-shaped support profile
7. Polyethylene tape (PES) TAS01F 4 x 20
8. ALU/steel sealed rivet NIT01A 4,0 x 11
9. Thermal insulation of the connection of the sandwich panel with the ground beam
10. Flashing B1 masking the connection between sandwich panel and the ground beam
11. Thermal insulation of the runway
12. WKRO7B Stress dissipater

Detail of fixing the sandwich panel in the outer corner,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV3




1. SPW-H CORE PIR sandwich panel
2. Thermal insulation at the connection of sandwich panels
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB4 masking the connection of sandwich panels
7. Flashing OB50 masking the connection between the sandwich panels in the outer corner from the inside

Detail of fixing the sandwich panel on lengthwise connection,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 4




1. SPW-H CORE PIR sandwich panel
2. Thermal insulation at the connection of sandwich panels
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB26 masking the connection of sandwich panels
7. OB27 Flashing
8. L-shaped support profile according to structural design
9. WKRO7B Stress dissipater
10. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the attic,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 5




1. SPW-H CORE PIR sandwich panel
2. Bracket OB7 of the flashing masking the attic finish, installed every approx. 1000 mm
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB6 masking the attic finish
7. WKRO7B Stress dissipater
8. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel to the wall,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 6




1. SPW-H CORE PIR sandwich panel
2. Flashing OB9 masking the connection of sandwich panels with the wall from inside
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Flashing OB8 masking the connection of the sandwich panels with the wall from the outside
7. Wall plug 8x60
8. Thermal insulation at the connection between the sandwich panel and the wall
9. Self-tapping screw 6,5x38
10. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel in the inner corner,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 7




1. SPW-H CORE PIR sandwich panel OB30
2. Flashing OB10 masking the connection of the sandwich panels in the internal corner
3. Polyethylene tape (PES) TAS01B 3 x 10
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Fastener for sandwich panel assembly
6. Thermal insulation at the connection of sandwich panels
7. Flashing OB51 masking the connection between the sandwich panels in the inner corner from the inside

Detail of fixing the sandwich panel at the window,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 8




1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Horizontal flashing OB11 masking the connection between sandwich panels and a window, sill
6. Thermal insulation at the connection between the sandwich panels and the window
7. Supporting profile OC1
8. Self-tapping screw
9. Individual solution
10. Flashing OB28, drip cap bottom, over the window
11. Flashing OB29, drip cap
12. Vertical flashing OB15 masking the connection between the sandwich panels and the window
13. WKRO7B Stress dissipater
14. Polyethylene tape (PES) TAS01F 4 x 20



Detail of fixing the sandwich panel at the door,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 9




1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Thermal insulation at the connection between the sandwich panels and the door
6. Supporting profile OC1
7. Self-tapping screw
8. Individual solution
9. Flashing OB28, drip cap bottom, over the window
10. Flashing OB29, drip cap
11. Vertical flashing OB15 masking the connection between the sandwich panels and the door
12. WKRO7B Stress dissipater
13. Polyethylene tape (PES) TAS01F 4 x 20t

Detail of fixing the sandwich panel at the gate,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 10




1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Thermal insulation at the connection between the sandwich panels and the gate
6. Supporting profile OC1
7. Horizontal flashing OB29 masking the connection between the sandwich panels and the gate
8. Vertical flashing OB18 masking the connection between the sandwich panels and the door frame
9. Horizontal flashing OB17 masking the connection between the sandwich panels and the bottom gate
10. L-shaped support profile according to structural design
11. WKRO7B Stress dissipater
12. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the attic, inner trough  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DHV 11




1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Fastener for sandwich panel assembly
5. Bracket OB7 of the flashing masking the attic finish, installed every approx. 1000 mm
6. Flashing OB6 masking the attic finish
7. Flashing OB19 masking the connection of roof waterproofing with inner attic casing
8. Bracket OB20 of the flashing masking the connection of the roof waterproofing with the inner casing of the attic
9. Profile by steel structure
10. Flashing OB21 masking the connection between the roof sandwich panel and the inner gutter
11. Profile by steel structure
12. WKRO7B Stress dissipater
13. Polyethylene tape (PES) TAS01F 4 x 20

Detail of fixing the sandwich panel at the roof sandwich panel SPR CORE PIR,  
fixing – hidden connector,  
panel arrangement – vertical

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139


## DHV 12



1. SPW-H CORE PIR sandwich panel
2. Polyethylene tape (PES) TAS01B 3 x 10
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Thermal insulation at the connection of wall and roof sandwich panels
5. Flashing OB22 masking the connection of wall sandwich panel and roof panel from outside
6. Flashing OB23 masking the connection of wall sandwich panel and roof panel from inside
7. Integrated gutter

# Details SPR CORE<sup>PIR</sup>

## SPR CORE<sup>PIR</sup> sandwich panel







### Table of details SPR CORE<sup>PIR</sup>

- |                                                                                        |                                                                                              |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| 85. DR 1 – detail of attachment of roof sandwich panel to steel purlin                 | 91. DR 7 – detail of fixing the roof sandwich panel in length                                |
| 86. DR 2 – detail of fixing the roof sandwich panel in the ridge                       | 92. DR 8 – detail of fixing the roof sandwich panel to the wall panel of the taller building |
| 87. DR 3 – detail of fixing the roof sandwich panel to the wall panel                  | 93. DR 9 – detail of fixing the roof sandwich panel to the attic wall panel I                |
| 88. DR 4 – detail of fastening roof sandwich panel with wall panel - eaves, variant I  | 94. DR 10 – detail of skylight base attachment to roof panel                                 |
| 89. DR 5 – detail of fastening roof sandwich panel with wall panel - eaves, variant II | 95. DR 11 – detail of attachment of roof sandwich panel with attic wall panel variant II     |
| 90. DR 6 – detail of roof sandwich panel fastening – roof peak                         | 96. DR 12 – detail of fixing of inner gutter with roof panel                                 |

Detail of fixing of roof sandwich panel to steel purlin

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 1




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKRO5A 4,8 x 19
3. Steel profile according to structural design
4. Fastener for sandwich panel assembly
5. Calotte WKRO6A

Detail of fixing of roof sandwich panel in ridge

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 2




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKRO5A 4,8 x 19
3. Steel profile according to structural design
4. Fastener for sandwich panel assembly
5. Ridge gasket USZ01
6. ALU/steel sealed rivet NIT01A 4,0 x 11
7. Polyethylene tape (PES) TAS01F 4 x 20
8. Ridgepole flashing OB35
9. Flashing OB37 at the ridgepole
10. Flashing OB36 under the ridgepole
11. Thermal insulation at the connection of sandwich panels

Detail of attachment of roof sandwich panel to wall panel

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 3




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKRO5A 4,8 x 19
3. Ridge gasket USZ01
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Polyethylene tape (PES) TAS01B 3 x 10
6. Flashing OB22 masking the connection between the wall and roof sandwich panels from the outside
7. Flashing OB23 masking the connection between the wall and roof sandwich panels from the inside
8. Flashing OB37 at the ridgepole
9. Flashing OB40 masking the gable of mono-pitched roof
10. Thermal insulation at the connection of sandwich panels

Detail of attachment of roof panel to wall panel - eaves, variant I

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 4




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKRO5 4,8 x 19
3. Sealing compound
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Polyethylene tape (PES) TAS01B 3 x 10
6. Flashing OB22 masking the connection between the wall and roof sandwich panels from the outside
7. Flashing OB23 masking the connection between the wall and roof sandwich panels from the inside
8. OB42 The flashing of roof eave
9. OB41 The flashing of roof eave
10. Thermal insulation at the connection of sandwich panels
11. OC4 Gutter assembly flashing

Detail of attachment of roof panel to wall panel - eaves, variant II

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 5




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKRO5 4,8 x 19
3. Integrated gutter
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Polyethylene tape (PES) TAS01B 3 x 10
6. Flashing OB22 masking the connection between the wall and roof sandwich panels from the outside
7. Flashing OB23 masking the connection between the wall and roof sandwich panels from the inside
8. OB42 The flashing of roof eave
9. Mounting bracket for the system gutter
10. Thermal insulation at the connection of sandwich panels
11. OB43 The flashing of roof eave

Detail of roof sandwich panel fixing - roof peak

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 6




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKR05 4,8 x 19
3. Flashing OB38 masking the end of a sandwich panel
4. ALU/steel sealed rivet NIT01A 4,0 x 11
5. Polyethylene tape (PES) TAS01B 3 x 10
6. Flashing OB12 masking the joint between roof panel and wall panel
7. Thermal insulation at the connection of sandwich panels
8. Butyl seal USZO4 2 x 15

Detail of roof sandwich panel fixing at length

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 7




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKR05 4,8 x 19
3. Fastener for sandwich panel assembly
4. Butyl seal USZO4 15 x 2
5. Polyethylene tape (PES) TAS01F 4 x 20
6. Thermal insulation at the connection of sandwich panels

Detail of attachment of roof sandwich panel to wall panel of taller building

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 8




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKR05 4,8 x 19
3. Fastener for sandwich panel assembly
4. Ridge gasket USZ01
5. Polyethylene tape (PES) TAS01F 4 x 20
6. Thermal insulation at the connection of sandwich panels
7. Flashing OB36 at the ridgepole
8. Flashing OB39 masking the connection of wall sandwich panel and roof panel from inside
9. Ridgepole flashing OB44
10. ALU/steel sealed rivet NIT01A 4,0 x 11
11. Permanently elastic mass
12. Polyethylene tape (PES) TAS01B 3 x 10

Detail of attachment of roof sandwich panel with attic wall panel variant I

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 9




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKR05 4,8 x 19
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Flashing OB12 masking the connection of sandwich panels
5. Polyethylene tape (PES) TAS01B 3 x 10
6. Thermal insulation at the connection of sandwich panels
7. Flashing OB45
8. Attic flashing OB46
9. Flashing OC5 bracket of attic flashing
10. Butyl seal USZ04 2 x 15

Detail of attachment of skylight base to roof panel

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 10




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKR05 4,8 x 19
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Flashing OB37 at the ridgepole
5. Polyethylene tape (PES) TAS01F 4 x 20
6. Skylight base
7. Flashing according to the workshop design
8. Ridge gasket USZ01
9. Polyethylene tape (PES) TAS01B 3 x 10

Detail of attachment of roof sandwich panel with attic wall panel variant II

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 11




1. SPR CORE PIR sandwich panel
2. Self-drilling screw WKR05 4,8 x 19
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Flashing OB12 masking the connection between the sandwich panels
5. Polyethylene tape (PES) TAS01B 3 x 10
6. Thermal insulation at the connection of sandwich panels
7. Individual flashings
8. Attic flashing OB46
9. Flashing OC5 bracket of attic flashing
10. Butyl seal USZ04 2 x 15



Detail of fixing of inner gutter with roof panel

BP2 Sp. z o.o.,  
30-527 Kraków  
ul. Nadwiślańska 11/139

## DR 12



1. SPR CORE PIR sandwich panel
2. Fastener for sandwich panel assembly
3. ALU/steel sealed rivet NIT01A 4,0 x 11
4. Flashing OB47
5. Polyethylene tape (PES) TAS01F 4 x 20
6. Construction by design
7. Polyethylene tape (PES) TAS01B 3 x 10





# 5.

## Flashings


100. Flashings dedicated for CORE<sup>PIR</sup> sandwich panels

# Flashings dedicated for CORE PIR

## Table of details

- |                                                                                                             |                                                                                                                              |                                                                                                              |
|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| 101. OB1 – Flashing OB1 masking the connection between sandwich panel and the ground beam                   | 110. OB19 – Flashing OB19 masking the connection of roof waterproofing with inner attic casing                               | 120. OB39 – Flashing OB39 masking the connection of wall sandwich panel and roof panel from inside           |
| 101. OB2 – Runway drip cap                                                                                  | 110. OB20 – Flashing bracket OB20 masking the connection of the waterproofing of the roof with the inner casing of the attic | 121. OB40 – Flashing OB40 masking the gable of mono-pitched roof                                             |
| 102. OB3 – Runway drip cap                                                                                  | 111. OB21 – Flashing OB21 masking the connection of roof sandwich panel with the internal gutter                             | 121. OB41 – The flashing of roof eave                                                                        |
| 102. OB4 – Flashing OB4 masking the connection of sandwich panels in the corner                             | 111. OB22 – Flashing OB22 masking the connection of wall sandwich panel and roof panel from outside                          | 122. OB42 – The flashing of roof eave                                                                        |
| 103. OB5 – Flashing OB5 masking the connection of sandwich panels lengthwise                                | 112. OB23 – Flashing OB23 masking the connection of wall sandwich panel and roof panel from inside                           | 122. OB43 – The flashing of roof eave                                                                        |
| 103. OB6 – Flashing OB6 masking the attic finish                                                            | 112. OB24 – Runway drip cap                                                                                                  | 123. OB44 – Ridgepole flashing OB44                                                                          |
| 104. OB7 – Flashing bracket OB7 masking the attic finish                                                    | 113. OB25 – Runway drip cap                                                                                                  | 123. OB45 – Flashing                                                                                         |
| 104. OB8 – Flashing OB8 masking the connection of sandwich panels with the wall from outside                | 113. OB26 – Flashing OB26 masking the connection of sandwich panels                                                          | 124. OB46 – Attic flashing OB46                                                                              |
| 105. OB9 – Flashing OB9 masking the connection of sandwich panels with the wall from inside                 | 114. OB27 – Flashing                                                                                                         | 124. OB47 – Flashing                                                                                         |
| 105. OB10 – Flashing OB10 masking the connection of sandwich panels in the inner corner                     | 114. OB28 – Flashing OB28, drip cap bottom, over the window                                                                  | 125. OB48 – Flashing OB48 masking the connection of sandwich panels in the corner                            |
| 106. OB11 – Horizontal flashing OB11 masking the connection of sandwich panels with the window, window sill | 115. OB29 – Flashing OB29, drip cap                                                                                          | 125. OB49 – Flashing OB49 masking the connection of sandwich panels lengthwise                               |
| 106. OB12 – Flashing OB12 masking the connection of sandwich panels with the window from inside             | 115. OB30 – Flashing OB30 masking the connection of sandwich panels in the inner corner                                      | 126. OB50 – Flashing OB50 masking the connection between sandwich panels in the inner corner from the inside |
| 107. OB13 – Flashing OB13, drip cap over-window                                                             | 116. OB31 – Flashing OB31, drip cap over the window                                                                          | 126. OB51 – Flashing OB51 masking the connection of sandwich panels in the inner corner from the inside      |
| 107. OB14 – Flashing OB14, drip cap bottom, over the window                                                 | 116. OB32 – Flashing OB32, drip cap                                                                                          | 127. OC1 – OC1 Supporting profile L                                                                          |
| 108. OB15 – Vertical flashing OB15 masking the connection of sandwich panels with the window                | 117. OB33 – Horizontal flashing OB33 masking the connection of sandwich panels with the gate                                 | 127. OC2 – The profile supporting the sandwich panel                                                         |
| 108. OB16 – Horizontal flashing OB16 masking the connection of sandwich panels with the gate                | 117. OB34 – Vertical flashing OB34 masking the connection of sandwich panels with the gate                                   | 128. OC3 – The profile supporting the sandwich panel                                                         |
| 109. OB17 – Horizontal flashing OB17 masking the connection of sandwich panels with the bottom gate         | 118. OB35 – Ridgepole flashing OB35                                                                                          | 128. OC4 – OC4 Gutter assembly flashing                                                                      |
| 109. OB18 – Vertical flashing OB18 masking the connection of sandwich panels with the gate frame            | 118. OB36 – Flashing OB36 under the ridgepole                                                                                | 129. OC5 – Flashing OC5 bracket of attic flashing                                                            |
|                                                                                                             | 119. OB37 – Flashing OB37 at the ridgepole                                                                                   | 129. WKR07A – Stress dissipater                                                                              |
|                                                                                                             | 120. OB38 – Flashing OB38 masking the end of roof panel                                                                      | 129. WKR07B – Stress dissipater                                                                              |


### OB1 Flashing B1 masking the connection between sandwich panel and the ground beam



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB1		285	3000		3,36
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH1, DSH2, DSV1, DSV2, DHH1, DHH2, DHV1, DHV2


### OB2 Runway drip cap



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB2		95	3000		1,12
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH1


**OB3** Runway drip cap



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB3/40		33	113	3000		1,33
2	OB3/60		53	133	3000		1,57
3	OB3/80		73	153	3000		1,80
4	OB3/100		93	173	3000		2,04
5	OB3/120		113	193	3000		2,27
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSH2


**OB4** Flashing OB4 masking the connection of sandwich panels in the corner



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB4/40		120	340	3000		4,00
2	OB4/60		140	380	3000		4,47
3	OB4/80		160	420	3000		4,95
4	OB4/100		180	460	3000		5,42
5	OB4/120		200	500	3000		5,89
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSH3, DSV3, DHH3, DHV3


**OB5** Flashing OB5 masking the connection of sandwich panels lengthwise



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB5		230	3000		2,71
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH4, DHH4


**OB6** Flashing OB6 masking the attic finish



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB6/40		183	468	3000		5,51
2	OB6/60		203	488	3000		5,75
3	OB6/80		223	508	3000		5,98
4	OB6/100		243	528	3000		6,22
5	OB6/120		263	548	3000		6,45
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSH5, DSV5, DHH5, DHV5


**OB7** Flashing bracket OB7 masking the attic finish



Standard sheet metal work with a thickness 0,1 mm							
No.	Name	RAL	A	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[mm]	[°]	[kg]
1	OB7/40		146	261	200		0,20
2	OB7/60		166	281	200		0,22
3	OB7/80		186	301	200		0,24
4	OB7/100		206	321	200		0,25
5	OB7/120		226	341	200		0,27
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSH5, DSV5, DHH5, DHV5


**OB8** Flashing OB8 masking the connection of sandwich panels with the wall from outside



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[°]	[kg]
1	OB8		283	3000		3,33
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH6, DSV6, DHH6, DHV6


**OB9** Flashing OB9 masking the connection of sandwich panels with the wall from inside



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[°]	[kg]
1	OB9		120	3000		1,41
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH6, DSV6, DHH6, DHV6


**OB10** Flashing OB10 masking the connection of sandwich panels in the inner corner



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[°]	[kg]
1	OB10		175	3000		2,06
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH7, DSV7, DHH7, DHV7


**OB11** Horizontal flashing OB11 masking the connection of sandwich panels with the window, window sill



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB11		215	3000		2,53
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH8, DSV8, DHH8, DHV8


**OB12** Flashing OB12 masking the connection of sandwich panels with the window from inside



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB12		110	3000		1,30
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DR9


**OB13** Flashing OB13, drip cap over-window



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB13		115	3000		1,35
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH8


**OB14** Flashing OB14, drip cap bottom, over the window



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle α [°]	Weight [kg]
1	OB14		95	3000		1,12
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH8


**OB15** Vertical flashing OB15 masking the connection of sandwich panels with the window



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB15		190	3000		2,24
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH8, DSH9, DSV8, DSV9, DHH8, DHH9, DHV8, DHV9


**OB16** Horizontal flashing OB16 masking the connection of sandwich panels with the gate



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB16		120	3000		1,41
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH9


**OB17** Horizontal flashing OB17 masking the connection of sandwich panels with the bottom gate



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB17/40		135	230	3000		2,71
2	OB17/60		155	250	3000		2,94
3	OB17/80		175	270	3000		3,18
4	OB17/100		195	290	3000		3,41
5	OB17/120		215	310	3000		3,65
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSH10, DSV10, DHH10, DHV10


**OB18** Vertical flashing OB18 masking the connection of sandwich panels with the gate frame



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB18/40		160	330	3000		3,89
2	OB18/60		180	350	3000		4,12
3	OB18/80		200	370	3000		4,36
4	OB18/100		220	390	3000		4,59
5	OB18/120		240	410	3000		4,83
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSH10, DSV10, DHH10, DHV10


**OB19** Flashing OB19 masking the connection of roof waterproofing with inner attic casing



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB19		255	3000		3,00
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH11, DSV11, DHH11, DHV11


**OB20** Flashing bracket OB20 masking the connection of the waterproofing of the roof with the inner casing of the attic



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB20		70	3000		0,82
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH11, DSV11, DHH11, DHV11


**OB21** Flashing OB21 masking the connection of roof sandwich panel with the internal gutter



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB21		120	3000		1,41
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSH11, DSV11, DHH11, DHV11

**OB22** Flashing OB22 masking the connection of wall sandwich panel and roof panel from outside




Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB22		130	3000		1,53
Non-standard sheet metal work with a thickness of .... mm						

\* - dimension depending on roof pitch

Flashing occurs in the details: DSH12, DSV12, DHH12, DHV12, DR3, DR4, DR5



**OB23** Flashing OB23 masking the connection of wall sandwich panel and roof panel from inside




Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB23		130	3000		1,53
Non-standard sheet metal work with a thickness of .... mm						

\* - dimension depending on roof pitch

Flashing occurs in the details: DSH11, DSV11, DHH11, DHV11, DR3, DR4, DR5


**OB24** Runway drip cap



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB24/40		14	134	3000		1,58
2	OB24/60		34	154	3000		1,81
3	OB24/80		54	174	3000		2,05
4	OB24/100		74	194	3000		2,28
5	OB24/120		94	214	3000		2,52
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSV1, DHV1


**OB25** Runway drip cap



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB25/40		12	222	3000		2,61
2	OB25/60		32	242	3000		2,85
3	OB25/80		52	262	3000		3,09
4	OB25/100		72	282	3000		3,32
5	OB25/120		92	302	3000		3,56
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSV2, DHV2


**OB26** Flashing OB26 masking the connection of sandwich panels



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB26		195	3000		2,30
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSV4, DHV4


**OB27** Flashing



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[mm]	[°]	[kg]
1	OB27/40		0	130	3000		1,53
2	OB27/60		24	154	3000		1,81
3	OB27/80		44	174	3000		2,05
4	OB27/100		64	194	3000		2,28
5	OB27/120		84	214	3000		2,52
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSV4, DHV4


**OB28** Flashing OB28, drip cap bottom, over the window



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	Expansion	Length	Angle $\alpha$	Weight	
			[mm]	[mm]	[°]	[kg]	
1	OB28		95	3000		1,12	
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSV8, DSV9, DHV8, DHV9


**OB29** Flashing OB29, drip cap



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	Expansion	Length	Angle $\alpha$	Weight	
			[mm]	[mm]	[°]	[kg]	
1	OB29		125	3000		1,47	
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSV8, DSV9, DHV8, DHV9


**OB30** Flashing OB30 masking the connection of sandwich panels in the inner corner



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	Expansion	Length	Angle $\alpha$	Weight	
			[mm]	[mm]	[°]	[kg]	
1	OB30		140	3000		1,65	
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DHH7


**OB31** Flashing OB31, drip cap over the window



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB31		105	3000		1,24
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DHH8


**OB32** Flashing OB32, drip cap



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB32		85	3000		1,00
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DHH9


**OB33** Horizontal flashing OB33 masking the connection of sandwich panels with the gate



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB33/60		142	229	3000		2,70
2	OB33/80		162	249	3000		2,93
3	OB33/100		182	269	3000		3,17
4	OB33/120		202	289	3000		3,40
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DHH10


**OB34** Vertical flashing OB34 masking the connection of sandwich panels with the gate



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB34/60		145	250	3000		2,94
2	OB34/80		165	270	3000		3,18
3	OB34/100		185	290	3000		3,41
4	OB34/120		205	310	3000		3,65
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DHH10


**OB35** Ridgepole flashing



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB35A		410	3000	169	4,83
2	OB35B		410	3000	157	4,83
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DR2


**OB36** Flashing OB36 under the ridgepole



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB36A		120	3000	169	1,41
2	OB36B		120	3000	157	1,41
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DR2


**OB37** Flashing OB37 at the ridgepole



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB37		200	2300		1,81
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DR2, DR3, DR8, DR10


**OB38** Flashing OB38 masking the end of roof panel



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB38/40		140	430	3000		5,06
2	OB38/60		160	450	3000		5,30
3	OB38/80		180	470	3000		5,53
4	OB38/100		200	490	3000		5,77
5	OB38/120		220	510	3000		6,01
6	OB38/160		260	550	3000		6,48
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DR6

**OB39** Flashing OB39 masking the connection of wall sandwich panel and roof panel from inside




Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB39		170	3000		2,00
Non-standard sheet metal work with a thickness of .... mm						

\* - dimension depending on roof pitch

Flashing occurs in the details: DR8


**OB40** Flashing OB40 masking the gable of mono-pitched roof



Standard sheet metal work with a thickness 0,5 mm								
No.	Name	RAL	A [mm]	B [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB40/40		80	137	537	3000		6,32
2	OB40/60		100	157	577	3000		6,79
3	OB40/80		120	177	617	3000		7,27
4	OB40/100		140	197	657	3000		7,74
5	OB40/120		160	217	697	3000		8,21
6	OB40/160		200	257	777	3000		9,15
Non-standard sheet metal work with a thickness of .... mm								

Flashing occurs in the details: DR3


**OB41** The flashing of roof eave



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB41/40		40	110	3000		1,30
2	OB41/60		60	130	3000		1,53
3	OB41/80		80	150	3000		1,77
4	OB41/100		100	170	3000		2,00
5	OB41/120		120	190	3000		2,24
6	OB41/160		160	210	3000		2,47
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DR4


**OB42** The flashing of roof eave



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB42		361	3000		4,25
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DR4, DR5

**OB43** The flashing of roof eave



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB43		105	3000		1,24
Non-standard sheet metal work with a thickness of .... mm						


\* - dimension depending on roof pitch

Flashing occurs in the details: DR5

**OB44** Ridgepole flashing

Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB44		340	3000		4,00
Non-standard sheet metal work with a thickness of .... mm						


\* - dimension depending on roof pitch



Flashing occurs in the details: DR8


**OB45** Flashing

Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB45		255	3000		3,00
Non-standard sheet metal work with a thickness of .... mm						



Flashing occurs in the details: DR9


**OB46** Attic flashing



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[mm]	[°]	[kg]
1	OB46/40		73	303	3000		3,57
2	OB46/60		93	323	3000		3,30
3	OB46/80		113	343	3000		4,04
4	OB46/100		133	363	3000		4,27
5	OB46/120		153	383	3000		4,51
6	OB46/160		193	423	3000		4,98
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DR9, DR11


**OB47** Flashing



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[mm]	[°]	[kg]
1	OB47/40		40	120	3000		1,41
2	OB47/60		60	140	3000		1,65
3	OB47/80		80	160	3000		1,88
4	OB47/100		100	180	3000		2,12
5	OB47/120		120	200	3000		2,36
6	OB47/160		160	240	3000		2,83
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DR12


**OB48** Flashing OB48 masking the connection of sandwich panels in the corner



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[mm]	[°]	[kg]
1	OB48/40		135	300	3000		3,53
2	OB48/60		155	340	3000		4,00
3	OB48/80		175	380	3000		4,47
4	OB48/100		195	420	3000		4,95
5	OB48/120		215	460	3000		5,42
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DHH3A


**OB49** Flashing OB49 masking the connection of sandwich panels lengthwise



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion	Length	Angle $\alpha$	Weight
			[mm]	[mm]	[°]	[kg]
1	OB49		130	3000		1,53
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DHH4A


**OB50** Flashing OB50 masking the connection between sandwich panels in the inner corner from the inside



Standard sheet metal work with a thickness 0,5 mm						
No.	Name	RAL	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB50		180	3000		2,12
Non-standard sheet metal work with a thickness of .... mm						

Flashing occurs in the details: DSV3, DHV3


**OB51** Flashing OB51 masking the connection of sandwich panels in the inner corner from the inside



Standard sheet metal work with a thickness 0,5 mm							
No.	Name	RAL	A [mm]	Expansion [mm]	Length [mm]	Angle $\alpha$ [°]	Weight [kg]
1	OB51/40		110	190	3000		2,24
2	OB51/60		130	210	3000		2,47
3	OB51/80		150	230	3000		2,71
4	OB51/100		170	250	3000		2,94
5	OB51/120		190	270	3000		3,18
Non-standard sheet metal work with a thickness of .... mm							

Flashing occurs in the details: DSV7, DHV7


**OC1** Supporting profile L



1.5 mm thick sheet metal work						
No.	Name	Galvanised	A [mm]	Expansion [mm]	Length [mm]	Weight [kg]
1	OC1/40		20	70	3000	2,47
2	OC1/60		40	90	3000	3,18
3	OC1/80		60	110	3000	3,89
4	OC1/100		80	130	3000	4,59
5	OC1/120		100	150	3000	5,30

Flashing occurs in the details: DSH1, DSH2, DSH8, DSH9, DSH10, DSV1, DSV2, DSV8, DSV9, DSV10, DHH1, DHH2, DHH10, DHV1, DHV8, DHV9, DHV10

**OC2** The profile supporting the sandwich panel




2.0 mm thick sheet metal work						
No.	Name	Galvanised	A [mm]	Expansion [mm]	Length [mm]	Weight [kg]
1	OC2/40		23	73	150	0,17
2	OC2/60		43	93	150	0,22
3	OC2/80		63	113	150	0,27
4	OC2/100		83	133	150	0,31
5	OC2/120		103	153	150	0,36

Flashing occurs in the details: DSH1, DSH2, DSH8, DSH9, DHH8, DHH9




**OC3** The profile supporting the sandwich panel



2.0 mm thick sheet metal work						
No.	Name	Galvanised	A	Expansion	Length	Weight
			[mm]	[mm]	[mm]	[kg]
1	OC3/60		30	84	150	0,20
2	OC3/80		50	104	150	0,24
3	OC3/100		70	124	150	0,29
4	OC3/120		90	144	150	0,34

Flashing occurs in the details: DHH1, DHH2, DHH8, DHH9, DHH10

**OC4** Gutter assembly flashing




1.5 mm thick sheet metal work						
No.	Name	Galvanised	A	Expansion	Length	Weight
			[mm]	[mm]	[mm]	[kg]
1	OC4/80		80	190	3000	6,71
2	OC4/100		100	210	3000	7,42
3	OC4/120		120	230	3000	8,12
4	OC4/160		160	270	3000	9,54

\* - dimension depending on roof pitch

Flashing occurs in the details: DR4


**OC5** Flashing OC5 bracket of attic flashing




1.0 mm thick sheet metal work						
No.	Name	Galvanised	A	Expansion	Length	Weight
			[mm]	[mm]	[mm]	[kg]
1	OC5/40		45	139	200	0,22
2	OC5/60		65	159	200	0,50
3	OC5/80		85	179	200	0,56
4	OC5/100		105	199	200	0,62
5	OC5/120		125	219	200	0,69

Flashing occurs in the details: DR9, DR11


**WKR07A** Stress dissipater



**WKR07B** Stress dissipater



Flashing occurs in the details: DHH, DHV



6.

## Contact details

# Contact



**BP2 sp. z o.o.**  
ul. Nadwiślańska 11/139  
30-527 Kraków

NIP: 6762431701

**www.bp2.eu**




- Distributors
- Sales representatives
- Authorised contractors
- Technical consultancy



All numerical values and physicochemical characteristics of products given in the catalogue are exclusively indicative and illustrative. The manufacturer is not responsible for any errors in the editing and printing of this catalogue and for possible changes in the technical parameters of the products presented in it.



This catalogue does not constitute an offer under the Civil Code.  
Copyright © 2023 BP2. All rights reserved.





Modular roofing tiles  
**MODULAR SERIES**



Compact roofing tiles  
**COMPACT SERIES**



Steel roofing tiles  
**CLASSIC SERIES**



Retro roof tiles  
**RETRO SERIES**



Roof panels  
**PANEL SERIES**



INTEGRATED  
**PV PANELS**



Steel roof gutter system  
**INGURI**



**TRAPEZOIDAL**  
SHEETS



**FLAT METAL**  
SHEETS



**FLASHINGS**



**ACCESORIES**



**Roof Sandwich**  
PANELS



**Wall Sandwich**  
PANELS



Facade cladding  
**SKRIN, LINEA, SINUS**



Wall cassette &  
**PROSYSTEM**



Uncoiling and slitting  
**SERVICES**



Flat sheets and cutting  
**SERVICES**



**PERFORATION**  
of sheets

